



SKROSS®
ADAPT TO THE WORLD

POWER ON THE GO





CONTENT

WHAT SKROSS HAS TO OFFER

- 5** | **ABOUT SKROSS®**
Safe + Simple + Swiss
- 6** | **ICON GLOSSARY**
Product Icons Explained
- 8** | **TRAVEL ADAPTERS**
World & Country Travel Adapters
- 30** | **POWER ON THE GO**
Power Banks, Cables & More
- 44** | **ACCESSORIES**
Power Storage Cases
- 45** | **LAST CHANCE!**
Get Them While They Last
- 46** | **ADAPTER PACKAGING**
Packaging Overview
- 47** | **POS SOLUTIONS**
POS Offering Examples



ABOUT SKROSS®

SAFE + SIMPLE + SWISS

WHO WE ARE

Positioned and renowned as a leading brand for high-quality travel accessories, SKROSS® products are currently available in more than 100 countries worldwide. Designed with the modern traveller in mind, the product range includes SKROSS® travel adapters, a complete range of USB chargers for car and home, power banks and charge & sync cables.

SAFE PRODUCTS

Maintaining the highest quality in safety standards forms the foundation across the entire SKROSS® development and production process. With these standards, defined by the International Electrotechnical Commission (IEC), we guarantee our development team only design the best in innovative adapters that provide our customers with safe access to power, wherever they are in the world.

SIMPLE CHARGING – ANY TIME & PLACE


Staying fully charged is simple with SKROSS® due to our patented country slider system. Ensuring connection globally, across all continents, our products also remain compact and the easiest-to-use available option in the market - it's what makes SKROSS® so unique.

SWISS MOBILE POWER SOLUTIONS

All SKROSS® products are designed with a clear focus on enhancing the experience of today's sophisticated traveller and our world and country adapters are genuinely Swiss in design and development. With this legacy, we ensure the highest in Swiss quality standards.


SKROSS® – A GLOBAL PLAYER FROM SWITZERLAND

ICON GLOSSARY



THREE POLE (EARTHED)

3-pole means that the device plug is earthed and that it normally has three pins, of which two are used to transfer the current and one is used as personal protection. Great for power hungry devices (> 600 W).



TWO POLE (UNEARTHED)

2-pole means that the device plug is not earthed and it normally has two pins that transmit electricity. Perfect for devices which use less power (< 600W).



4 COUNTRY SLIDERS

The device features 4 country sliders for countries with plug standards: USA, UK, Australia/China, Switzerland/Italy/Brazil, Europe.




3 COUNTRY SLIDERS

The device features 3 country sliders for countries with plug standards: USA, UK, Australia/China.



GLOBAL WARRANTY

We stand behind all of our products and their quality by offering a global 2 year warranty.



WORLD INPUT

Adapters with a World input for many different types of plugs – for world travellers.



EUROPE INPUT

Adapters with Europe input for European plugs – for travellers from Europe with Schuko.

USB CHARGING PORTS



USB C

USB C or USB Type-C



USB

USB A or USB



1 X USB C + 1 X USB

Device is equipped with 1 x USB C and 1 x USB A charging ports.



1 X USB C

Device is equipped with 1 x USB C charging port.



1 X USB



2 X USB



4 X USB

1 X USB / 2 X USB / 4 X USB

Device is equipped with 1, 2 or 4 x USB A charging ports.

PLUG TYPES

3-Pole



Type F + E
Schuko (EU)



Type B
USA



Type G
UK



Type I
AUS/China



Type J + L + N
CH/IT/Brazil

Adjustable Earth Pin

2-Pole



Type C
Euro/CH/IT/Brazil



Type A
USA/Japan



Type G
UK



Type I
AUS/China

TRAVEL ADAPTERS






3-POLE
2500 W

4 COUNTRY
SLIDERS

GLOBAL
WARRANTY

ALPHA BY SKROSS®

SWISS ENGINEERING
MEETS DANISH DESIGN



Design by Jacob Jensen

Design by Jacob Jensen



ALPHA BY SKROSS®

This high-class design travel adapter is the best adapter we have ever made: it combines a contemporary, elegant design with state-of-the-art components. Carries a 5-year international replacement warranty. Triple protection features: smart fuse, thermal switch-off and child protection. Subjected to rigorous testing to meet the highest quality and safety standards.

Article-No. 1.104100 | EAN Code 7640166322450



POWER CASE

Includes a hardshell storage case to protect the adapter while traveling.

TECHNICAL SPECIFICATIONS

- Input voltage: 100 V – 250 V
- Max. load: 10 A
- Power rating: e.g. 100 V – 1000 W / 250 V – 2500 W
- Integrated, resettable fuse
- Suitable for devices with 2- & 3-pole plugs
- Adapter does not convert voltage



HIGH END PACKAGING

Beautifully packed inside a luxury gift box displaying the adapter and storage case.

PRO

THE MOST VERSATILE 3-POLE
WORLD TRAVEL ADAPTER

3-POLE
1750 W

4 COUNTRY
SLIDERS

GLOBAL
WARRANTY

1



CH + IT + BRA
(Type J + L + N)



AUS/CHN
(Type I)



UK
(Type G)



USA
(Type B)



EU (Type E + F)

2 or 3



other versions

2



EU (Type E + F)

3



EU (Type E + F)

4



Also available
as 2 x or
4 x USB



Euro
(Type C)



1 PRO

For travellers from Europe (Schuko & 2-pole Euro) to more than 120 destinations.

Article-No. 1.103141 | EAN Code 7640166321514



1+2 PRO - WORLD

For travellers from all over the world to more than 205 destinations.

Article-No. 1.103175 | EAN Code 7640166321521



1+3 PRO - WORLD & USB

For travellers from all over the world to more than 205 destinations + 1 integrated USB port.

Article-No. 1.302535 | EAN Code 7640166321552



1+2+4 PRO+ USB

For travellers from all over the world to more than 205 destinations + Euro USB Charger.

AC: Article-No. 1.302523 | EAN Code 7640166323686
 2xA: Article-No. 1.302521 | EAN Code 7640166323662
 4xA: Article-No. 1.302522 | EAN Code 7640166323679

TECHNICAL SPECIFICATIONS

- Input voltage: 100 V – 250 V
- Max. load: 7 A
- Power rating: e.g. at 100 V – 700 W / 250 V – 1750 W
- Replaceable fuse
- Suitable for devices with 2- & 3-pole plugs
- Adapter does not convert voltage

1+3 PRO - World & USB: USB output: 5 V / 2.4 A

1+2+4 PRO+ USB AC: 1 x USB output: 5 V / 2.4 A, 1 x USB C output: 5 V / 3.0 A

1+2+4 PRO+ USB 2xA: 2 x USB output: 5 V / 2.4 A shared

1+2+4 PRO+ USB 4xA: 4 x USB output: 5 V / 4.8 A shared





PRO LIGHT

THE MOST COMPACT 3-POLE
WORLD TRAVEL ADAPTER



AUS/CHN
(Type I)



UK
(Type G)



USA
(Type B)



EU (Type E + F)

2 or 3



other versions



EU (Type E + F)



EU (Type E + F)



❶ PRO LIGHT

For travellers from Europe (Schuko & 2-pole Euro) to more than 100 destinations.

Article-No. 1.103150 | EAN Code 7640166320357



❶+❷ PRO LIGHT – WORLD

For travellers from all over the world to more than 200 destinations.

Article-No. 1.103160 | EAN Code 7640166320364



❶+❸ PRO LIGHT – WORLD & USB

For travellers from all over the world to more than 200 destinations + 1 X USB.

Pro Light: Article-No. 1.103150 | EAN Code 7640166320357

+
World & USB: Article-No. 1.500260 | EAN Code 7640166320005



TECHNICAL SPECIFICATIONS

- Input voltage: 100 V – 250 V
- Max. load: 6.3 A
- Power rating: e.g. at 100 V – 630 W / 250 V – 1575 W
- Integrated fuse
- Suitable for devices with 2- & 3-pole plugs
- Adapter does not convert voltage
- **CH + IT + BRA plug not included**

❶ + ❸ PRO Light – World & USB: USB output: 5 V / 2.4 A



3-POLE
1750 W

3 COUNTRY
SLIDERS

GLOBAL
WARRANTY

PRO LIGHT USB

THE MOST COMPACT 3-POLE WORLD TRAVEL ADAPTER WITH USB POWER




USA
(Type B)



UK
(Type G)



AUS/CHN
(Type I)



EU (Type E + F)
2 or 3




other versions

USB C
15 W max.



USB
2.4 A max.



4 X USB



2 X USB



1 X USB





① PRO LIGHT USB (AC)

For travellers from Europe (Schuko & 2-pole Euro) to over 100 destinations + 1 x USB & 1 USB C port.

Article-No. 1.302462 | EAN Code 7640166323648



①+④ PRO LIGHT USB (AC) – WORLD

For travellers from all over the world to more than 200 destinations + 1 x USB & 1 USB C port.

Article-No. 1.302472 | EAN Code 7640166323617



② PRO LIGHT USB (4XA)

For travellers from Europe (Schuko & 2-pole Euro) to more than 100 destinations + 4 x USB ports.

Article-No. 1.302461 | EAN Code 7640166323631



②+④ PRO LIGHT USB (4XA) – WORLD

For travellers from all over the world to over 200 destinations + 4 x USB ports.

Article-No. 1.302471 | EAN Code 7640166323600



③ PRO LIGHT USB (2XA)

For travellers from Europe (Schuko & 2-pole Euro) to more than 100 destinations + 2 x USB ports.

Article-No. 1.302540 | EAN Code 7640166320777



③+④ PRO LIGHT USB (2XA) – WORLD

For travellers from all over the world to more than 200 destinations + 2 x USB ports.

Article-No. 1.302550 | EAN Code 7640166320784



③+⑤ PRO LIGHT USB (3XA) – WORLD

For travellers from all over the world to more than 200 destinations + 3 x USB ports.

Article-No. 1.302555 | EAN Code 7640166321903



TECHNICAL SPECIFICATIONS

- Input voltage: 100 V – 250 V
- Max. load: 7 A
- Power rating: e.g. at 100 V – 700 W / 250 V – 1750 W
- Integrated fuse for 2 x USB version
- Replaceable fuse for 4 x USB & AC USB versions
- Suitable for devices with 2- & 3-pole plugs
- Adapter does not convert voltage
- **CH + IT + BRA plug not included**


① PRO Light USB (AC): 1 x USB output: 5 V / 2.4 A, 1 x USB C output: 5 V / 3.0 A

② PRO Light USB (4xA): 4 x USB output: 5 V / 4.8 A

③ PRO Light USB (2xA): 2 x USB output: 5 V / 2.4 A

③+⑤ PRO Light USB (3xA) World: 3 x USB output: 5 V / 4.8 A






MUV USB

THE MOST VERSATILE 2-POLE
WORLD TRAVEL ADAPTER



USB C
15 W max.



+

USB
2.4 A max.



other versions



4 X USB



2 X USB



❶ MUV USB (AC)

For travellers from all over the world to more than 220 destinations + 2 x integrated USB ports (1 x USB + USB C).

Article-No. 1.302962 | EAN Code 7640166323709
 Asia: Article-No. 1.302968 | EAN Code 7640166324119
 CH: Article-No. 1.302967 | EAN Code 7640166324102



❷ MUV USB (4xA)

For travellers from all over the world to more than 220 destinations + 4 x integrated USB ports.

Article-No. 1.302961 | EAN Code 7640166323716
 Asia: Article-No. 1.302966 | EAN Code 7640166324096
 CH: Article-No. 1.302965 | EAN Code 7640166324089



❸ MUV USB (2xA)

For travellers from all over the world to more than 220 destinations + 2 x integrated USB ports.

Article-No. 1.302930 | EAN Code 7640166320616

TECHNICAL SPECIFICATIONS


- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse
- Suitable for devices with 2-pole plugs
- Adapter does not convert voltage

❶ **MUV USB (AC):** 1 x USB output: 5 V / 2.4 A, 1 x USB C output: 5 V / 3.0 A

❷ **MUV USB (4xA):** USB output: 5 V / 4.8 A

❸ **MUV USB (2xA):** USB output: 5 V / 2.4 A





MUV MICRO

THE MOST COMPACT 2-POLE
WORLD TRAVEL ADAPTER



Europe
(Schuko)



Euro
(Type C)



UK
(Type G)



AUS/CHN
(Type I)



USA/Japan
(Type A)



1 MUV MICRO

For travellers from all over the world to more than 220 destinations.

Article-No. 1.302180 | EAN Code 7640112218783

TECHNICAL SPECIFICATIONS

- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse
- Suitable for devices with 2-pole plugs
- Adapter does not convert voltage



4 COUNTRY
SLIDERS

GLOBAL
WARRANTY

WORLD USB CHARGER

USB CHARGER FOR
WORLDWIDE USE

Euro
(Type C)

AUS/CHN
(Type I)

UK
(Type G)

USA/Japan
(Type A)



2 X USB



1 WORLD USB CHARGER – 2 X USB

Powerful USB Charger
for use in over 220
destinations worldwide
with 2 x USB.

Article-No. 1.302320 | EAN Code 7640166320548

TECHNICAL SPECIFICATIONS

- Suitable for USB devices
- Input voltage: 100 V – 250 V
- 2 x USB output: 5 V / 2.4 A



EURO USB CHARGERS

POWERFUL & SLIM DESIGN
USB CHARGERS



other versions





❶ EURO USB CHARGER (AC)

USB charger with 1 x USB and 1 x USB C port for all destinations with Euro socket standard.

Article-No. 1.302423 | EAN Code 7640166323075



❷ EURO USB CHARGER (4xA)

USB charger with 4 x USB ports for all destinations with Euro socket standard.

Article-No. 1.302422 | EAN Code 7640166323068



❸ EURO USB CHARGER (2xA)

USB charger with 2 x USB ports for all destinations with Euro socket standard.

Article-No. 1.302421 | EAN Code 7640166323051

TECHNICAL SPECIFICATIONS

- Euro socket standard
- Input voltage: 110 V – 240 V
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Compatible with all SKROSS® adapters (e.g. PRO series)

❶ Euro USB Charger (AC): 1 x USB output: 5 V / 2.4 A, 1 x USB C output: 5 V / 3.0 A

❷ Euro USB Charger (4xA): 4 x USB output: 5 V / 4.8 A

❸ Euro USB Charger (2xA): 2 x USB output: 5 V / 2.4 A



WORLD TO

FOR WORLD TRAVELLERS
TO SPECIFIC DESTINATIONS

NO SCHUKO INPUT 



choose your plug



UK

Article-No. 1.500225-E |
EAN Code 7640166320197



USA

Article-No. 1.500221-E |
EAN Code 7640166320203



.....Adjustable Earth Pin
**ITALY + BRAZIL +
SWITZERLAND**

Article-No. 1.500270 |
EAN Code 7640166322153



SPECIAL VERSION

**ISRAEL + DENMARK +
INDIA TO EUROPE**

Article-No. 1.500217-E |
EAN Code 7640166320173



EUROPE

Article-No. 1.500211-E |
EAN Code 7640166320111



AUSTRALIA/CHINA

Article-No. 1.500222-E |
EAN Code 7640166320210



ITALY

Article-No. 1.500223-E |
EAN Code 7640166320227



SOUTH AFRICA

Article-No. 1.500224-E |
EAN Code 7640166320234

WORLD TO + USB

FOR WORLD TRAVELLERS TO
SPECIFIC DESTINATIONS WITH USB

NO SCHUKO INPUT 



choose your plug



EUROPE USB

Article-No. 1.500260 |
EAN Code 7640166320005



UK USB

Article-No. 1.500267 |
EAN Code 7640166323211



USA USB

Article-No. 1.500268 |
EAN Code 7640166323228



**SWITZERLAND +
ITALY + BRAZIL USB**

Article-No. 1.500269 |
EAN Code 7640166323235

EUROPE TO

FOR EUROPEAN TRAVELLERS
TO SPECIFIC DESTINATIONS

WITH SCHUKO INPUT 



choose your plug



UK

Article-No. 1.500230-E |
EAN Code 7640166320265



USA

Article-No. 1.500203-E |
EAN Code 7640166320050



DENMARK

Article-No. 1.500232-E |
EAN Code 7640166322047



SWITZERLAND

Article-No. 1.500205-E |
EAN Code 7640166320074



AUSTRALIA/CHINA

Article-No. 1.500209-E |
EAN Code 7640166320098



ITALY

Article-No. 1.500212-E |
EAN Code 7640166320128



SOUTH AFRICA

Article-No. 1.500201-E |
EAN Code 7640166320036

EUROPE TO + USB

FOR EUROPEAN TRAVELLERS
TO SPECIFIC DESTINATIONS WITH USB

WITH SCHUKO INPUT 



choose your plug



USA USB

Article-No. 1.500281 |
EAN Code 7640166323099



UK USB

Article-No. 1.500280 |
EAN Code 7640166323082



EUROPE USB (HOME USB HUB)

Article-No. 1.500282 |
EAN Code 7640166324379

COMBO ADAPTERS

TRAVEL TO A SPECIFIC DESTINATION
& EUROPE – FOR WORLD TRAVELLERS



**WORLD TO
EUROPE**



**EUROPE TO
COUNTRY
PLUG**

choose your combo



UK

Article-No. 1.500231-E |
EAN Code 7640166320272



USA

Article-No. 1.500204-E |
EAN Code 7640166320067



AUSTRALIA / CHINA

Article-No. 1.500210-E |
EAN Code 7640166320104



SWITZERLAND

Article-No. 1.500206-E |
EAN Code 7640166320081



ITALY

Article-No. 1.500213-E |
EAN Code 7640166320135



ISRAEL

Article-No. 1.500216-E |
EAN Code 7640166320166



SOUTH AFRICA

Article-No. 1.500202-E |
EAN Code 7640166320043



DENMARK

Article-No. 1.500214-E |
EAN Code 7640166320142



INDIA

Article-No. 1.500215-E |
EAN Code 7640166320159

POWER ON THE GO

A blurred background image of a city street at night. The scene is out of focus, showing bokeh lights from street lamps and buildings. The colors are predominantly blue and purple, with some warm orange and yellow lights. The overall atmosphere is that of a busy, modern urban environment.



POWER BANKS

Green LED indicates ready for wireless charging.

FAST CHARGING
POWER ON THE GO

1

PD: Fast Charging

Wireless

READY TO FLY

RELOAD 10

WIRELESS CHARGING
POWER DELIVERY
10000 mAh

SKROSS
ADAPT TO THE WORLD

10,000 mAh

1X USB C
5.4 A max.

2X USB
2.4 A max.

other power versions

2

RELOAD 20

POWER DELIVERY
20000 mAh

PD: Fast Charging

SKROSS
ADAPT TO THE WORLD

20,000 mAh

3

RELOAD 5

SKROSS
ADAPT TO THE WORLD

5,000 mAh

4

RELOAD 10

SKROSS
ADAPT TO THE WORLD

10,000 mAh

5

RELOAD 20

SKROSS
ADAPT TO THE WORLD

20,000 mAh



❶ RELOAD 10 Qi PD

Fast charging power bank works cable-free: Place your phone on it when the LED is green to power-up. 10,000 mAh.

Article-No. 1.400132 | EAN Code 7640166323310



❷ RELOAD 20 PD

Power meets Speed – Power Delivery function charges your smartphone six times super fast. 20,000mAh.

Article-No. 1.400142 | EAN Code 7640166323327



❸ RELOAD 5

Perfect when you need an energy boost on the go – charges your smartphone twice. 5,000 mAh.

Article-No. 1.400120 | EAN Code 7640166322092



❹ RELOAD 10

Perfect when you need an energy boost on the go – charges your smart- phone three times. 10,000 mAh.

Article-No. 1.400130 | EAN Code 7640166322108




❺ RELOAD 20

Perfect when you need an energy boost on the go – charges your smartphone six times. 20,000 mAh.

Article-No. 1.400140 | EAN Code 7640166322467

Micro USB cable included with all power banks



TECHNICAL SPECIFICATIONS

❶ Reload 10 Qi PD

- Input Micro USB: 5 V / 2 A; 9 V / 2 A
- Input USB Type-C: 5 V / 2 A; 9 V / 2 A (PD)
- Output USB Type-C: 5 - 6 V / 3 A; 6 - 9 V / 2.0 A; 9 – 12 V / 1.5 A (PD)
- Output 1: 5 V / 2.4 A, Output 2: 5 – 6 V / 3 A; 6 – 9 V / 2.0 A; 9 – 12 V / 1.5 A (Supports Quick Charge 3.0)
- Wireless Charging: 5 W, 7.5 W, 10 W max.
- Capacity: 10,000 mAh / 37.0 Wh / Total 18 W

❷ Reload 20 PD

- Input Micro USB: 5 V / 2 A; 9 V – 2 A
- Input USB Type-C: 5 V / 2 A; 9 V – 2 A (PD)
- Output USB Type-C: 5 – 6 V / 3 A, 6 – 9 V / 2 A; 9 – 12 V / 1.5 A (PD)
- Output 1 + 2: 5 – 6 V / 3 A; 6 – 9 V / 2 A; 9 – 12 V / 1.5 A (Supports Quick Charge 3.0)
- Capacity: 20,000 mAh / 74.0 Wh

❸ Reload 5

- Output 1: 5 V / 2 A max., Output 2: 5 V / 2 A max., Max. output: 2.4 A
- Input: 5 V / 2 A max.
- Capacity: 5,000 mAh / 18.5 Wh

❹ Reload 10

- Output 1: 5 V / 2 A max., Output 2: 5 V / 2 A max., Max. output: 2.4 A
- Input: 5 V / 2 A max.
- Capacity: 10,000 mAh / 37.0 Wh

❺ Reload 20

- Output 1: 5 V / 2 A max., Output 2: 5 V / 2 A max., Max. output: 2.4 A
- Input Micro USB: 5 V / 2 A max.
- Input USB Type-C: 5 V / 2 A max.
- Capacity: 20,000 mAh / 74.0 Wh



USB CABLES

TRAVEL ESSENTIALS LINE

CHARGE'N SYNC USB C (2.0)

1M: Article-No. 2.700206-E |
EAN Code 7640166320517

2M: Article No. 2.700206-E-2M |
EAN Code 7640166321996



other cable variations



2IN1 CHARGE'N SYNC MICRO USB & LIGHTNING

1M: Article No. 2.700200-E | EAN Code 7640166320241



CHARGE'N SYNC LIGHTNING

1M: Article No. 2.700205-E | EAN Code 7640166320678
2M: Article No. 2.700205-E-2M | EAN Code 7640166321989



CHARGE'N SYNC MICRO USB

1M: Article-No. 2.700202-E | EAN Code 7640166320258

USB CABLES

STEEL LINE
ROBUST & DESIGN



USB C (3.0)

1M: Article No. 2.700243 |
EAN Code 7640166320951

other cable variations



2IN1 MICRO USB & LIGHTNING

1M: Article No. 2.700241 | EAN Code 7640166320937



LIGHTNING

1M: Article No. 2.700242 | EAN Code 7640166320944



MICRO USB

1M: Article No. 2.700240 | EAN Code 7640166320920

USB CABLES

STEEL LINE SPECIAL EDITION
MATCH YOUR PHONE

2IN1 MICRO USB & LIGHTNING – GOLD

1M: Article-No. 2.700250 |
EAN Code 7640166321156

Made for
iPod iPhone iPad



— other cable variations —



2IN1 MICRO USB & LIGHTNING – ROSE GOLD

1M: Article-No. 2.700251 | EAN Code 7640166321163

Made for
iPod iPhone iPad



2IN1 MICRO USB & LIGHTNING – RED

1M: Article-No. 2.700260 | EAN Code 7640166321750

Made for
iPod iPhone iPad


USB CABLES

PERFORMANCE LINE
ROBUST & DESIGN

LIGHTNING

USB C

MICRO USB



3IN1 CABLE

1M: Article-No. 2.700271 |
EAN Code 7640166322856

30 cm: Article No. 2.700270 |
EAN Code 7640166322849

Made for
iPod iPhone iPad

— other cable variations —



LIGHTNING TO USB C

1M: Article No. 2.700272 | EAN Code 7640166322863
2M: Article No. 2.700273 | EAN Code 7640166322870

Made for
iPod iPhone iPad




USB C TO USB C

2M: Article No. 2.700274 | EAN Code 7640166323303

WIRELESS CHARGER

FOR CABLE FREE
CHARGING CONVENIENCE





WIRELESS CHARGER 10

Cable free convenience for Qi-enabled devices: With this fast Wireless Charger there is no need to plug in when it's time to power up. Instead, just place your phone onto the charging pad.

Article-No. 2.800200 | EAN Code 7640166322238

LED STATUS



Plugged In: Blue ●



Ready: Green ●



Charging: Flashing Blue ●

TECHNICAL SPECIFICATIONS

- Standard: Qi
- Input: DC 5 V / 2 A, 9 V / 1.67 A
- Output: DC 5 V / 1 A, 9 V / 1.1 A
- Max. wireless power: 10 W
- Micro USB charging cable included


SUITABLE FOR

The latest iOS & Android smartphones (starting from iPhone 8/Samsung Galaxy S6 edge+ and Note 5/Nexus 5/etc.) – works with all Qi-enabled devices.



USB CHARGERS

POWERFUL USB CHARGERS WITH
VARIOUS USB PORT OPTIONS



1

USB C
3.0 A max.



+

USB
2.4 A max.



more usb chargers

available in the following socket standard versions:



Euro



UK



USA, Japan

2



3



4



Qualcomm
quick charge 3.0



❶ USB C CHARGER

Charge all your devices with USB and USB C.

EU: Article-No. 2.800131 | EAN Code 7640166322177
 UK: Article-No. 2.800132 | EAN Code 7640166322191
 US: Article-No. 2.800130 | EAN Code 7640166322184



❷ USB CHARGER – 4-PORT

Charge 4 USB devices at the same time.

EU: Article-No. 2.800101 | EAN Code 7640166320883
 UK: Article-No. 2.800102 | EAN Code 7640166320890
 US: Article-No. 2.800100 | EAN Code 7640166320876



❸ USB CHARGER – 2-PORT

Charge 2 USB devices at the same time. Smart IC: automatically sets the optimal charging current.

EU: Article-No. 2.800111 | EAN Code 7640166321446
 UK: Article-No. 2.800112 | EAN Code 7640166321453
 US: Article-No. 2.800110 | EAN Code 7640166321439



❹ USB CHARGER – QUICK CHARGE 3.0

Charge your devices with Qualcomm® Quick Charge™ technology super fast.

EU: Article-No. 2.800121 | EAN Code 7640166322122
 UK: Article-No. 2.800122 | EAN Code 7640166322139
 US: Article-No. 2.800120 | EAN Code 7640166322115

TECHNICAL SPECIFICATIONS


- Suitable for USB devices
- Input voltage: 100 V – 240 V

- ❶ **USB C Charger:** 1 x USB output: 5 V / 2.4 A, 1 x USB C output: 5 V / 3.0 A
- ❷ **USB Charger – 4-Port:** 4 x USB output: 5 V / 4.8 A
- ❸ **USB Charger – 2-Port:** 2 x USB output: 5 V / 3.4 A
- ❹ **USB Charger – Quick Charge 3.0:** 1 x USB output: 5 V / 3.0 A; 9 V / 2.0 A; 12 V / 1.5 A



CAR CHARGERS

CHARGE YOUR DEVICES ON THE GO



other car chargers





❶ USB CAR CHARGER & USB TYPE-C (2.0)

Ideal for the latest devices with Type-C port.

Article-No. 2.900618 | EAN Code 7640166321507



❷ DUAL USB CAR CHARGER – QUICK CHARGE 3.0

Less time charging - more time doing (up to 4 x faster).

Article-No. 2.900615 | EAN Code 7640166321477



❸ USB CAR CHARGER & MICRO USB

Perfectly suited for all kinds of Micro USB powered devices.

Article-No. 2.900617 | EAN Code 7640166321491



❹ DUAL USB CAR CHARGER

Charges two USB devices at the same time.

Article-No. 2.900610-E | EAN Code 7640166320449

TECHNICAL SPECIFICATIONS

❶ USB Car Charger & USB Type-C (2.0)

- Input voltage: 12 V – 24 V DC
- USB C output: 5 V / max. 5.4 A, USB A output: 5 V / max. 2.4 A
- USB Type-C cable: 3 A, USB-standard: 2.0

❷ Dual USB Car Charger – Quick Charge 3.0

- Input voltage: 12 – 24 V DC
- USB output: 5 V / max. 5.4 A, Output 1: 2.4 A, Quick Charge: DC 6.5 V / 3 A, DC 9 V / 2 A

❸ USB Car Charger & Micro USB

- Input voltage: 10 – 24 V DC
- USB output: 5 V / max. 3 A
- USB output: 1 A
- Micro USB cable: 2 A

❹ Dual USB Car Charger

- Input voltage: 10 – 24 V DC
- USB output: 5 V / max. 3.4 A
- Output 1: 1.0 A, Output 2: 2.4 A



ACCESSORIES

THE PERFECT STORAGE CASE FOR
YOUR SKROSS® PRODUCTS



choose your case



❶ POWER CASE

The practical Power Case keeps all your travel companions perfectly organised; no products included.

Article-No. 9.200000 | EAN Code 7640166320852



❷ MINI POWER CASE

The practical Mini Power Case keeps all your travel companions perfectly organised; no products included.

Article-No. 9.200002



LAST CHANCE!

GET THESE PRODUCTS NOW,
WHILE STOCKS LAST

ADAPTER PACKAGING

PACKAGING EXAMPLES & SIZING



RIGID BOX

World Adapters

W 105 mm H 111 mm D 73 mm



TE BOX

Country Adapters

W 65 mm H 81 mm D 58 mm



TE BOX

Combos

W 65 mm H 81 mm D 58 mm



BLISTER PACKAGING

Country Adapter with USB

W 105 mm H 175 mm D (varies)



BLISTER PACKAGING

USB Chargers

W 105 mm H 175 mm D (varies)

POS SOLUTIONS

EXAMPLES OF OUR POS DISPLAYS AND SHELVING UNITS



BULK DISPENSER (DESK)

On Request

15 x 21 x 35 cm
Article-No. 1.500198



BULK DISPENSER (SMALL)

On Request

23 x 25 x 18 cm
Article-No. 1.500197



BULK DISPENSER (LARGE)

On Request


50 x 25 x 18 cm
Article-No. 1.500200



MINI TRIANGLE DISPLAY

On Request

30 x 30 x 30 x 150 cm
Article-No. 1.500196-M



PROMOTION CARTON DISPLAY

On Request

38 x 41 x 177 cm
Article-No. n/a



BULK CARTON DISPLAY

On Request


40 x 60 x 170 cm
Article-No. 9.100173



CARTON DISPLAY

On Request

41 x 177 x 3.8 cm
Article-No. 9.100194



SKROSS®
ADAPT TO THE WORLD

DESIGNED IN
SWITZERLAND

WORLDCONNECT AG

WERKSTRASSE 12A

9444 DIEPOLDSAU, SWITZERLAND

TEL: +41 717379760

E-MAIL: INFO@SKROSS.COM

 /SKROSSPOWER

SWISS DESIGN | SKROSS.COM